

Sales
Training
Presentation

 Who is iAIRE and what do we do? -

- iAIRE Presenter
- XX/XX/XXXX



- What is iAIRE?
- iAIRE is a technology driven manufacturing company, headquartered in Indianapolis, IN
- Manufacturing is in Orlando, FL

What Technologies?

- Patented Technologies that include:
- Solar HVAC Units
- Economizers that can reduce the amount of Outside Air while maintaining or improving indoor air conditions and delivering on-going operating utility savings.




What Does iAIRE Make?

- Solar HVAC Split Systems & Packaged RTUs (Commercial/Residential)
- Dedicated Outside Air and V.A.V. Units
- Ionization Devices
- Economizers
- ERV's
- Flow Monitoring Equipment
- Custom Modifications to HVAC units



Solar HVAC

- Solar HVAC uses a patented technology that captures energy from ambient light to dramatically increase the efficiency of a HVAC system
- This coupled with iAIRE's Variable speed compressor technology and controls, creates a system that is up to two to three times more efficient than a conventional system







Solar HVAC

- Solar HVAC system are available in both Residential and Commercial system types
- Packaged RTU and Split System
- Straight Cool, Cooling with Electric Heat, Gas Heat and Heat Pump
- Available is 2 thru 150 Tons





Ionization

- Cleans Air
 - Removes VOC's including Dangerous Pathogens
- Low Cost
- Low Power
- Long Life
- Ion Block is:
 - UL 867 and 2998 Rated





Economizer Controller

- Meets California Requirements
- Can do what Jade & Zip controllers do
- Has built in ERV controls as well





Economizer Controller

- Can give the ability to spec a controller that utilizes patent pending technology
 - Ionization
 - VOC sensor
 - CO2 sensor
 - Default is 0 outside air
 - 2/3 reduction in outside air
 - Cleaner indoor air conditions






Economizers

- 6 Carrier economizers
 - 3 horizontal
 - 3 vertical
- Size
 - 3-6 ton
 - 7-12.5 ton
 - 15-25 ton





ultraDRY (iAIRE's DOAS) trueVAV (iAIRE's VAVunit)

- Outside air and VAV units
- 3-150 ton units
- Built on Carrier platform
- Package RTU & split systems
- All electric
- Gas heat
- Heat pumps





<u>ultraDRY</u>

- Equivilant of:
 - Aaon
 - CaptiveAire
 - Addison
 - Desert Air
 - Greenheck
 - Trane
 - Daikin
 - Valent





ultraDRY

- When you see DOAS systems on plans and specs and wish to obtain selections, quotes or submittals
- e-mail:

 sales@myiaire.com
 you can make use of
 "iSELECT" (iAIRE's Selection,
 Quoting and Submittal Software)





1125

ultraDRY Part Number

12C - 3 4 5 6 7 8 9 10 11 12 13 - 14

type (1,2)

UD - COOLING ONLY UG - WITH GAS HEAT UP - WITH HEAT PUMP

fan (4)

L - LOW/STD STATIC M - MED STATIC H - HIGH STATIC

voltage (5)

G - 230VAC 1Φ H - 230VAC 3Ф K - 460VAC 3Φ

L - 575VAC 3Φ

control (6)

D - DAT CONTROL S - SPACE CONTROL

electric & gas heat (7,8,9)

XXX - ELECTRIC (kW) XXX - GAS (mBH)

heat stages

A - NO CONTROLS

B - 1 STAGE C - 2 STAGE

D - 3 STAGE

E-4 STAGE

M - MODULATING

Rooftop Units (3)

TC04	HC04	A3
TC05	HC05	A3
TC06	HC06	A4
TC07	HC07	A5
TC08	HC08	A6
TC09	HC09	
TC12	HC11	
TC14	HC12	
TC16	HC14	
TC17	HC17	
TC20	HC20	
TC24	HC24	
TC28	HC28	
TC30		

Comm. Split (3)

COOLING AUZRUA07 AUZRUA08 AUDRUA12 AUDRUA14 AUDRUA16 AUDRUA25	HEAT PUMP AUQRUQ07 AUQRUQ08 AUQRUQ12 AUQRUQ16 AUQRUQ25
AUDRUA25	

Residential Split (3)

COOLING ACFV636 ACFV642 ACFV648 ACFV660	GAS HEAT ABCV836 ABCV842 ABCV848 ABCV860 HDCV836 HDCV842 HDCV848 HDCV860	HEAT PUMP HCFV636 HCFV642 HCFV648 HCFV660
---	--	---

disconnect (11.12)

00 - NO DISCONNECT (if requested, size will be determined by factory)

01 - 240V - 30A FUSE 02 - 240V - 60A FUSE

03 - 240V - 100A FUSE 04 - 240V - 150A FUSE

05 - 240V - 200A FUSE

06 - 240V - 300A FUSE 11 - 240V - 30A SWITCH

12 - 240V - 60A SWITCH 13 - 240V - 100A SWITCH

14 - 240V - 150A SWITCH 15 - 240V - 200A SWITCH 16 - 240V - 300A SWITCH

21 - 600V - 30A FUSE

22 - 600V - 60A FUSE 23 - 600V - 100A FUSE

24 - 600V - 150A FUSE 31 - 600V - 30A SWITCH

32 - 600V - 60A SWITCH 33 - 600V - 100A SWITCH 34 - 600V - 150A SWITCH

configuration (13)

DOWN SUPPLY DOWN RETURN

> HORIZONTAL SUPPLY DOWN RETURN

DOWN SUPPLY HORIZONTAL RETURN

HORIZONTAL SUPPLY HORIZONTAL RETURN

options (14)

0 - NO OPTIONS A - IONIZATION

B - WHOLE UNIT (UG)

C - ALL COILS (UG) D - CONDEN, COIL (UG)

E - ERV

F - MERV 13 4" FILTER

G - 2 POS. OA DAMPER

H - BACNET

J - DOUBLE WALL K - DW W/ POLY INSUL.

L - SS DRIP PAN

M - SS GAS HEAT EXCHANGER

N - DIRTY FILTER SWITCH

P - SERV. OUTLET (NON PWR)

Q - SERV. OUTLET (PWR) R - SPLIT PWR FUSE DISC.

S - SPLIT PWR SWT DISC.

T - SMOKE SA

U - SMOKE RA

V - LOW AMBIENT CONTROL

W - OA HOOD Y - START UP

1 - 365 DAY ANNUAL TIMER

Options/Modifications To Units

Ionization – Reduce DOAS size using ASHRAE calcs ultraGUARD Coatings – Condenser only, All Coils, or Entire Unit are the options.

ERV - Optional ERV (laire brand) using AirXchange wheel (mated or bolt on)

Motorized OA Dampers

Bacnet Interface

Double Wall Construction – Insulated and Un-Insulated

SS Drain Pan

SS Gas Heat Exchanger

Non-Powered or Powered Service Outlet

Disconnect – Switched or Fused

Split Power Disconnect

Smoke Detectors – Supply or RA

Low Ambient Kits

365 Day Timer

Condensate Control per Code

MORE





Selections, Pricing, Submittals



- iSELECT is iAIRE's Selection, Pricing and Submittal Software.
- Use iSELECT to select and price a unit that matches the job requirements.
- iSELECT will then return to you a Quote and a Submittal for the selection.
- iSELECT will create a model number for your iAIRE "ultraDRY", "trueVAV", or "Solar HVAC" system, or a part number for the modification(s) that you wish to apply to your unit(s).
- For custom quotes or selections outside the scope of iSELECT you can send your requests to sales@myiaire.com

Conclusion



- 1.) Industry leading lead time
- 2.) Sell a complete package on most projects
- 3.) Wide array of custom modifications (Indoor package units, WSHP, etc.)
- 4.) Low cost
- 5.) iAIRE covers 1/5 warranty
- 6.) Factory service support
- 7.) Full technical training for contractors
- 8.) On-Line Selection Quoting and Submittal Software

Contact Information

iAIRE

www.myiaire.com

Customer Service: 844-348-9168

iAIRE Sales Department

sales@myiaire.com



Questions?

